


Under the Sea

Block size $12\frac{1}{2}$ " (finished size 12")



Use our "Under The Sea" quilt block setting to piece your own 12" finished blocks ($12\frac{1}{2}$ " including seam allowance) into a quilt top!

Finished size 64" X 78"

Materials:

Inner Borders, Binding & Sashing	2 $\frac{1}{2}$ yards
Cornerstones and Star Points	$\frac{1}{2}$ yard
Outer Borders & Binding	2 $\frac{1}{4}$ yards (if cut in strips parallel to the selvage) OR 1 yard if pieced.
Backing	4 $\frac{3}{4}$ yards

Cutting Instructions:

Inner Borders/ Sides

Cut two $2\frac{1}{2}$ " X $68\frac{1}{2}$ " strips parallel to the selvage edge of the fabric

Inner Borders/ Top and Bottom

Cut two $2\frac{1}{2}$ " X $58\frac{1}{2}$ " strips parallel to the selvage edge of the fabric

Binding

Cut four $2\frac{1}{2}$ " strips parallel to the selvage edge of the fabric

Sashing

Cut thirty-one $2\frac{1}{2}$ " X $12\frac{1}{2}$ " rectangles

Cornerstones

Cut twelve $2\frac{1}{2}$ " squares

Star Points

Cut forty-eight $2\frac{1}{2}$ " squares

Outer Borders/ Sides

Cut two $3\frac{1}{2}$ " X $72\frac{1}{2}$ "


Outer Borders/ Top and Bottom

Cut two $3\frac{1}{2}$ " X $64\frac{1}{2}$ "

Draw a diagonal line on the wrong side of each of the $2\frac{1}{2}$ " squares. Place the square as shown on the sashing strips and sew directly on the drawn line. Trim $\frac{1}{4}$ " away from the sewn line as shown:



Dotted line indicates sewn line



Solid line indicates trim line

Press the triangle back to form the star point.




Make fourteen



Make seventeen

Assemble the quilt top: Make sure all of your blocks measure $12\frac{1}{2}$ " including the seam allowances. We have found it very helpful to lay the quilt out and check the sashing direction to be sure that your "stars" are forming at the corner squares. Piece the quilt in rows and then join the rows with the sashing/cornerstone/sashing pieces, as shown in the illustration. Press all seam allowances toward the sashing and that will make it easier to pin and piece the rows together.



Add the Borders to the quilt top in the following order:

1. Inner Border $2\frac{1}{2}''$ X $68\frac{1}{2}''$ to either side of the quilt top—set press and press seam allowances toward the border.
2. Inner Borders $2\frac{1}{2}''$ X $58\frac{1}{2}''$ to the top and bottom—set press and press seam allowances toward the border.
3. Outer Border $3\frac{1}{2}''$ X $72\frac{1}{2}''$ to either side of the quilt top—set press and press seam allowances toward the border.
4. Outer Border $3\frac{1}{2}''$ X $64\frac{1}{2}''$ to the top and bottom—set press and press seam allowances toward the border.

